


## Examples of Irrigation Technology Adoption in California Strawberries








## Water Use Tracking




Crop Type	IAI Allowance*  *Note range below due to variation between area and rainfall year
Strawberries (Fall Planted)	2.2-2.5 AF
Strawberries (Sumer Planted)	1.3-1.4 AF
Raspberries	3.1-3.8 AF
Blueberries	2.6-3.0 AF (mature plants)
Blackberries	3.1-3.8 AF


## Strawberry Water Use by Crop Stage-AF/Acre



	2010- 2011		2012- 2013	2013- 2014
July	0.00	0.13	0.14	0.56
August	0.29	0.35	0.28	0.10
September	0.12	0.06	0.13	0.09
October	0.38	0.56	0.71	0.42
November	0.23	0.18	0.19	0.13
December	0.06	0.15	0.05	0.06
January	0.13	0.11	0.23	0.24
February	0.09	0.17	0.27	0.20
March	0.09	0.23	0.33	0.27
April	0.21	0.24	0.36	0.38
May	0.23	0.35	0.45	0.42
June	0.22	0.38	0.03	0.32
Totals	2.07	2.91	3.18	3.20

- Ground Prep (July-Sep)
- Establishment (Oct)
- Fall/Winter (Nov-Jan)
- Fresh Production (Feb-May)
- Freezer/Process (June)





## Water/irrigation Management Project Impact and Adoption Status

